



DIAGNOSTEMPS

Radiology Staffing

Cath Lab Technologist Skills Inventory

Technologist _____ Date _____

PLEASE USE THE FOLLOWING KEY WHEN SELF-RATING YOUR LEVEL OF EXPERIENCE IN EACH OF THE SKILLS LISTED BELOW:

1 *No Experience*

2 *Minimal* - Some experience, works with supervision

3 *Experienced* - Works without supervision in most cases

4 *Highly Skilled* - Perform well without assistance

SKILLS CATAGORIES

SELF RATING

Assessment

	1	2	3	4
Blood Pressure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Right Heart Assessment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Waveform Assessment.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Arrhythmia Interpretation.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12 Lead Interpretation.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain Assessment.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Equipment

	1	2	3	4
Assist With:				
A-line Insertion.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Central Line Insertion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PA Line Insertion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Open Chest Emergency.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Defibrillator.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cardioversion.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
IABP	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lead Placement.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hemodynamic Monitoring.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
SVO2 Recording	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Calculation of Value Parameters.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Care of Patients with:

	1	2	3	4
FemStop Device	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
VasoSeal, AngioSeal, PerClose.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Medications

	1	2	3	4
Given under Orders of MD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Alprazolam (Xanax).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lorazepam (Ativan)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Midazolam (Versed)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lidocain.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Procedures

	1	2	3	4
Setup for Procedure / Aseptic Tech.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Indications and Contraindications.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Preparation and Premedication	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Radiation Safety / Environment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Scrubbing for Cardiac Procedures.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Circulating Cardiac Procedures.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Monitoring Cardiac Procedures.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Right Heart Angiography.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Left Heart Angiography	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PercutTranslumCoronary Angio (PTCA).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
TransEsophageal Echo (TEE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Electrophysiology Studies (EPS)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Radio Frequency Ablation (RFA)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Implantable Cardioverter Defib (ICD).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stent Placement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Septal Defects	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Balloon Dilation Valves & Vessels.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pacemaker Placement.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
AICD Pacemakers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Temporary Pacemakers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Angioplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Debulking	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thrombolysis.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Angiojet	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aortography	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pulmonary Angiography.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rotational Arterectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saphenous Vein Graft Angiography.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Transluminal Extraction Catheter.....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Directional Coronary Arterectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pericardiocentesis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Age

	1	2	3	4
Neonatal (Birth to 6 weeks).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Infant (6 weeks to 3 years).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Children (4-11 years).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Adolescent (12-18 years).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Adults (19-64 years)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Elderly (65+ years).....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Certifications / Licensures

	Expiration Date
ARRT (R)	_____
ARRT (CV)	_____
ARRT (IR)	_____
RCIS	_____
BLS	_____
ACLS	_____

The information I have given is true and accurate to the best of my knowledge, and I hereby authorize DiagnosTemps to release this Skills Checklist to staffing clients of DiagnosTemps.

Updated Annually.

Technologist Signature/Date

Supervisor Signature/Date